

# WALL DECOR

## PRINTABLE WALL DECORATION FILMS

Available in a range of textured and non textured finishes, suitable for Solvent, Eco Solvent, UV and LATEX wide format printers



**GRAFITYP**  
UK Limited

FREE SAMPLES AVAILABLE  
Tel: 01827 300500  
E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
[GRAFITYP.CO.UK/WALLDECO](http://GRAFITYP.CO.UK/WALLDECO)



The GRAFITYP Wall Decor series of digitally printable films help you deliver highly profitable eye-catching graphics that are attractive, durable, easily printed, easily applied and installed to walls and other surfaces.

GRAFITYP WallDecor films are all you need to develop new opportunities and win new customers in domestic, retail, industrial and other rapidly growing markets.

You can trust GRAFITYP materials to perform to the highest standards. The range delivers familiar print characteristics so it's easy for you to get excellent looking results.

**You have the printer.**

Now you have the materials you need to open new doors and create profitable new opportunities.

# Wall Covering Films

|                                 | PAGE | HIGH TACK | REMOVABLE | PASTE | PVC FREE | FIRE RATED |
|---------------------------------|------|-----------|-----------|-------|----------|------------|
| M113HT 100µm                    | 4    | ✓         |           |       |          | ✓          |
| M116HT 100µm                    | 5    | ✓         |           |       |          | ✓          |
| M150HT 150µm                    | 6    | ✓         |           |       |          | ✓          |
| P230HT 215µm Linen Textured     | 7    | ✓         |           |       |          | ✓          |
| P231HT 215µm Fine Textured      | 8    | ✓         |           |       |          | ✓          |
| P232HT 215µm Wood Textured      | 9    | ✓         |           |       |          | ✓          |
| S838HT 50µm Wall Wrap           | 10   | ✓         |           |       |          |            |
| M150R 150µm                     | 11   |           | ✓         |       |          | ✓          |
| Mx113UR 100µm Air Escape        | 12   |           | ✓         |       |          | ✓          |
| FLOORPR 230µm Textured          | 13   |           | ✓         |       |          | ✓          |
| WALL DECO 230gsm 100% Polyester | 14   |           | ✓         |       | ✓        |            |
| WT250 250gsm 100% Polyester     | 15   |           | ✓         |       | ✓        |            |
| WALL-IT 370µm                   | 16   |           | ✓         |       | ✓        |            |
| FEEL-IT 180gsm                  | 17   |           |           | ✓     | ✓        | ✓          |
| DECOLOV 140g                    | 18   |           |           | ✓     | ✓        |            |

Note:

Please note before applying wall graphics we recommend at least 8 week gas off period/ drying time for freshly painted walls.



HIGH TACK

# M113HT

## WHITE MATT 100 MICRON HIGH TACK ADHESIVE MEDIA FOR WALL COVERINGS AND MANY MORE APPLICATIONS

M113HT offers the perfect solution for wall coverings with deep vibrant colours. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

**Fire Rating:**

B-S1 D0

DIN EN 13501-1

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)

[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
GrafiPrint print media



HIGH TACK

# M116HT

WHITE MATT 100 MICRON GREY HIGH TACK ADHESIVE  
MEDIA FOR WALL COVERINGS AND MANY MORE  
APPLICATIONS

M116HT offers the perfect solution for wall coverings with deep vibrant colours. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Fire Rating:

B-S1 D0

DIN EN 13501-1

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)

[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
Grafityp print media



HIGH TACK

# M150HT

WHITE MATT 150 MICRON HIGH TACK ADHESIVE MEDIA FOR  
WALL COVERINGS AND MANY MORE APPLICATIONS

M150HT offers the perfect solution for wall coverings providing a clean easy to fit installation. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Fire Rating:

B-S1 D0

DIN EN 13501-1

HIGH TACK



# P230HT

LINEN TEXTURED 215 MICRON POLYMERIC MEDIA WITH HIGH TACK ADHESIVE FOR EXHIBITION, HOME DECOR ETC.

P230HT is a self-adhesive media, offering a clean, easy to apply alternative to traditional wall coverings. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

**Fire Rating:**

B-S1 D0

DIN EN 13501-1

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
GRAFITYP.CO.UK

**GrafiPrint**  
Grafityp print media



HIGH TACK

# P231HT

FINE TEXTURED 215 MICRON POLYMERIC MEDIA WITH HIGH TACK ADHESIVE FOR EXHIBITION, HOME DECOR ETC.

P231HT is a self-adhesive media, offering a clean, easy to apply alternative to traditional wall coverings. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Fire Rating:

B-S1 D0

DIN EN 13501-1



HIGH TACK

# P232HT

WOOD TEXTURED 215 MICRON POLYMERIC MEDIA WITH  
HIGH TACK ADHESIVE FOR EXHIBITION, HOME DECOR ETC.

P232HT is a self-adhesive media, offering a clean, easy to apply alternative to traditional wall coverings. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

**Fire Rating:**

B-S1 D0

DIN EN 13501-1

---

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
Grafityp print media



HIGH TACK

# S838HT

50 MICRON GLOSS CAST HIGH TACK WALL WRAP  
FOR OUTDOOR AND INDOOR APPLICATIONS ON  
THE MOST DIFFICULT 3D SURFACES

S838HT is a self-adhesive media for applications onto brick, concrete, painted or plastered walls etc. S838HT can be applied at cold temperatures. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

REMOVABLE

# M150R

## MATT 150 MICRON REMOVABLE MEDIA FOR WALL COVERINGS AND MANY MORE APPLICATIONS

M150R offers the perfect solution for short term wall coverings providing a clean easy to fit installation and removal. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Fire Rating:

B-S1 D0

DIN EN 13501-1

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
Grafityp print media



REMOVABLE

# MX113UR

## MATT 100 MICRON AIR ESCAPE ULTRA REMOVABLE MEDIA FOR FAST EASY APPLICATION AND REMOVAL

Mx113UR is an ideal choice for short term wall graphics which need changing on a regular basis. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

**Fire Rating:**

B-S1 D0

DIN EN 13501-1



REMOVABLE

# FLOORPR

## WHITE TEXTURED MULTI-PURPOSE FLOOR AND WALL COVERING WITH SEMI-PERMANENT ADHESIVE

FLOORPR is a 230 micron 2in1 anti-skid film which conforms to British Standard R10. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
Grafityp print media



REMOVABLE

# WALL DECO

## PVC AND PHTHALATE FREE REPOSITIONABLE POLYESTER SELF ADHESIVE WALL FABRIC

WALL DECO is a 230gsm matt satin non reflective 100% polyester fabric which leaves no residue when removed. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Low tack and blockout options also available

---

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
GrafiTyp print media

REMOVABLE



# WT250

## PVC AND PHTHALATE FREE REPOSITIONABLE POLYESTER OPAQUE SELF ADHESIVE WALL FABRIC

WT250 is a 250gsm non reflective 100% polyester fabric with a grey adhesive which leaves no residue when removed. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
Grafityp print media

REMOVABLE



# WALL-IT

WHITE MATT ANTI-REFLECTIVE FAST DRYING, PVC FREE SELF ADHESIVE INTERIOR DECORATING FILM

WALL-IT is a 370 micron film with a semi-permanent adhesive. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
GRAFITYP.CO.UK

**GrafiPrint**  
Grafityp print media



PASTE

# FEEL-IT

## WHITE MATT FIRE RESISTANT PVC FREE FILM PERFECT FOR WALL COVERINGS

FEEL-IT is a 180gsm certified EUROCLASS C fire resistant film which uses a standard paste to apply onto wall coverings. Excellent printing results on Eco Solvent, Solvent, Latex & UV printers.

---

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
[GRAFITYP.CO.UK](http://GRAFITYP.CO.UK)

**GrafiPrint**  
Grafityp print media



PASTE

# DECOLOV

## UNIVERSAL PVC FREE SYNTHETIC WHITE TEXTURED TEXTILE FABRIX

DECOLOV is 140g fire resistant non woven fine art coated textile which uses a standard paste to apply onto wall coverings. Excellent printing results on Eco Solvent, Solvent, Latex, UV and Waterbased printers.

Fire Rating:

M1

---

Tel: 01827 300500 E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)  
GRAFITYP.CO.UK

**GrafiPrint**  
Grafityp print media



Tel: 01827 300500

E-mail: [sales@grafityp.co.uk](mailto:sales@grafityp.co.uk)

[GRAFITYP.CO.UK/WALL-DECO](http://GRAFITYP.CO.UK/WALL-DECO)